

LEGEND


TUFLOW Model Extent

Buildings


Velocity (m/s)

- <= 0.25
- 0.25 - 0.50
- 0.50 - 1.00
- 1.00 - 1.50
- 1.50 - 2.00
- > 2.00

Notes:
Aerial photograph: Google Satellite 2019.
Only areas subject to inundation depths greater than 0.10 metres or hazards greater than H1 are displayed.



**Figure 32.1:
Peak Flow Velocity for
the 0.5% AEP Flood**



LEGEND


TUFLOW Model Extent

Buildings



Velocity (m/s)

- <= 0.25
- 0.25 - 0.50
- 0.50 - 1.00
- 1.00 - 1.50
- 1.50 - 2.00
- > 2.00

Notes:
Aerial photograph: Google Satellite 2019.
Only areas subject to inundation depths greater than 0.10 metres or hazards greater than H1 are displayed.



**Figure 32.3:
Peak Flow Velocity for
the 0.5% AEP Flood**



LEGEND

- TUFLOW Model Extent
- Buildings
- Velocity (m/s)
 - ≤ 0.25
 - 0.25 - 0.50
 - 0.50 - 1.00
 - 1.00 - 1.50
 - 1.50 - 2.00
 - > 2.00

Notes:
Aerial photograph: Google Satellite 2019.
Only areas subject to inundation depths greater than 0.10 metres or hazards greater than H1 are displayed.




Scale: 1:6000 (at A3)
0 60 120 180 240 m

Figure 32.4:
Peak Flow Velocity for
the 0.5% AEP Flood

Prepared by:
Catchment Simulation Solutions
Suite 1, Level 10, 70 Phillip St
Sydney, NSW, 2000

File Name: Peak Flow Velocity for the 0.5% AEP
Flood.qgz
Using Layout: Figure 32.4



LEGEND

TUFLOW Model Extent

Buildings

Velocity (m/s)

- <= 0.25
- 0.25 - 0.50
- 0.50 - 1.00
- 1.00 - 1.50
- 1.50 - 2.00
- > 2.00

Notes:

Aerial photograph: Google Satellite 2019.

Only areas subject to inundation depths greater than 0.10 metres or hazards greater than H1 are displayed.





Figure 32.5:
Peak Flow Velocity for
the 0.5% AEP Flood

Prepared by:

Catchment Simulation Solutions

Suite 1, Level 10, 70 Phillip St
Sydney, NSW, 2000


File Name: Peak Flow Velocity for the 0.5% AEP
Flood.qgz
Using Layout: Figure 32.5




LEGEND

- TUFLOW Model Extent
- Buildings
- Velocity (m/s)
 - <= 0.25
 - 0.25 - 0.50
 - 0.50 - 1.00
 - 1.00 - 1.50
 - 1.50 - 2.00
 - > 2.00

Notes:
Aerial photograph: Google Satellite 2019.
Only areas subject to inundation depths greater than 0.10 metres or hazards greater than H1 are displayed.




Scale: 1:8000 (at A3)



**Figure 32.6:
Peak Flow Velocity for
the 0.5% AEP Flood**

Prepared by:
Catchment Simulation Solutions
Suite 1, Level 10, 70 Phillip St
Sydney, NSW, 2000


File Name: Peak Flow Velocity for the 0.5% AEP
Flood.qgz
Using Layout: Figure 32.6



LEGEND

- TUFLOW Model Extent
- Buildings
- Velocity (m/s)
 - ≤ 0.25
 - 0.25 - 0.50
 - 0.50 - 1.00
 - 1.00 - 1.50
 - 1.50 - 2.00
 - > 2.00

Notes:
Aerial photograph: Google Satellite 2019.
Only areas subject to inundation depths greater than 0.10 metres or hazards greater than H1 are displayed.




Scale: 1:6000 (at A3)
0 60 120 180 240 m

Figure 33.1:
Peak Flow Velocity for
the 0.2% AEP Flood

Prepared by:
Catchment Simulation Solutions
Suite 1, Level 10, 70 Phillip St
Sydney, NSW, 2000


File Name: Peak Flow Velocity for the 0.2% AEP Flood.qgz
Using Layout: Figure 33.1



LEGEND

- TUFLOW Model Extent
- Buildings
- Velocity (m/s)
 - <= 0.25
 - 0.25 - 0.50
 - 0.50 - 1.00
 - 1.00 - 1.50
 - 1.50 - 2.00
 - > 2.00

Notes:
Aerial photograph: Google Satellite 2019.
Only areas subject to inundation depths greater than 0.10 metres or hazards greater than H1 are displayed.





Scale: 1:6000 (at A3)
0 60 120 180 240 m

**Figure 33.3:
Peak Flow Velocity for
the 0.2% AEP Flood**

Prepared by:
Catchment Simulation Solutions
Suite 1, Level 10, 70 Phillip St
Sydney, NSW, 2000


File Name: Peak Flow Velocity for the 0.2% AEP
Flood.qgz
Using Layout: Figure 33.3



LEGEND

- TUFLOW Model Extent
- Buildings
- Velocity (m/s)
 - <= 0.25
 - 0.25 - 0.50
 - 0.50 - 1.00
 - 1.00 - 1.50
 - 1.50 - 2.00
 - > 2.00

Notes:
Aerial photograph: Google Satellite 2019.
Only areas subject to inundation depths greater than 0.10 metres or hazards greater than H1 are displayed.




Scale: 1:6000 (at A3)
0 60 120 180 240 m

Figure 33.4:
Peak Flow Velocity for
the 0.2% AEP Flood

Prepared by:
Catchment Simulation Solutions
Suite 1, Level 10, 70 Phillip St
Sydney, NSW, 2000

File Name: Peak Flow Velocity for the 0.2% AEP
Flood.qgz
Using Layout: Figure 33.4



LEGEND

TUFLOW Model Extent

Buildings

Velocity (m/s)

- ≤ 0.25
- 0.25 - 0.50
- 0.50 - 1.00
- 1.00 - 1.50
- 1.50 - 2.00
- > 2.00

Notes:

Aerial photograph: Google Satellite 2019.

Only areas subject to inundation depths greater than 0.10 metres or hazards greater than H1 are displayed.






Figure 33.5:
Peak Flow Velocity for
the 0.2% AEP Flood



LEGEND

- TUFLOW Model Extent
- Buildings
- Velocity (m/s)
 - ≤ 0.25
 - 0.25 - 0.50
 - 0.50 - 1.00
 - 1.00 - 1.50
 - 1.50 - 2.00
 - > 2.00

Notes:
Aerial photograph: Google Satellite 2019.
Only areas subject to inundation depths greater than 0.10 metres or hazards greater than H1 are displayed.



Scale: 1:8000 (at A3)




Figure 33.6:
Peak Flow Velocity for
the 0.2% AEP Flood

Prepared by:
 **Catchment Simulation Solutions**
Suite 1, Level 10, 70 Phillip St
Sydney, NSW, 2000

File Name: Peak Flow Velocity for the 0.2% AEP
Flood.qgz
Using Layout: Figure 33.6